O. Penezina, et al. U.S.S.N.: 10/646,292

Page 2 of 12

IN THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A composite porous membrane comprising a hydrophobic substrate coated with difunctional surface-modifying molecules, each difunctional surface-modifying molecule comprising a hydrophobic portion <u>preferentially</u> associated with the substrate and a hydrophilic portion, wherein the surface-modifying molecules are crosslinked to form a crosslinked hydrophilic polymeric network at the surface of the membrane.

- 2. (Original) The membrane according to claim 1, wherein the hydrophilic portion of the surface-modifying molecules comprises at least two crosslinking active groups.
- 3. (Original) The membrane according to claim 2, wherein the crosslinking active group comprises a carbon-carbon double bond.
- 4. (Original) The membrane according to claim 1, wherein the difunctional surface-modifying molecules comprise difunctional acrylate molecules.
- 5. (Original) The membrane according to claim 1, wherein 100% of molecules associated with the substrate comprise diffunctional surface-modifying molecules.
- 6. (Currently amended) The membrane according to claim 1, wherein the hydrophobic portion is a hydrophobic alkyl, aromatic group, or olefinic hydrocarbon group.
- 7. (Currently amended) The membrane according to claim 1, wherein the hydrophobic portion comprises an aromatic hydrocarbon molecule.
- 8. (Original) The membrane according to claim 7, wherein the aromatic hydrocarbon comprises a bisphenol A group.

O. Penezina, et al. U.S.S.N.: 10/646,292

Page 3 of 12

- 9. (Currently amended) The membrane according to claim 1, wherein the hydrophobic portion does not form covalent bonds with the surface.
- 10. (Currently amended) The membrane according to claim 1, wherein the hydrophilic portion is positively charged.
- 11. (Currently amended) The membrane according to claim 1, wherein the hydrophilic portion is negatively charged.
- 12. (Currently amended) The membrane according to claim 1, wherein the hydrophilic portion comprises a neutral charge.
- 13. (Currently amended) The membrane according to claim 1, wherein the hydrophilic portion comprises the general formula $[-X_{n1}-Y-CR=CH_2]_{n2}$ where X is independently selected from the group consisting of (-CH2-CH2-O-); (-CH2-O-); (-CH2-CH(COOH)-); (-CH2-CH(OH)-); Y is selected from the group consisting of ([-CH2-]_{n3}); (-COO-); n_1 is from about 1-50; n_2 is from about 1-2; and n_3 can be from about 1 to about 50.
- 14. (Original) The membran e according to claim 1, wherein the difunctional surface modifying molecules are polymerized on the substrate surface after being preferentially adsorbed with the substrate surface.
- 15. (Original) The membran e according to claim 1, wherein the diffunctional surface molecules comprise ethoxylated (30) bisphenol A diacrylates.
- 16. (Currently amended) The membrane according to claim 1, wherein the difunctional-surface molecules are polymerized using a photoinitiator, and wherein the photoinitiator is preferentially adsorbed by the substrate surface.

O. Penezina, et al. U.S.S.N.: 10/646,292

Page 4 of 12

- 17. (Currently amended) The membrane according to claim 1, wherein the difunctional-surface molecules are polymerized using a photoinitiator that comprises a substantially hydrophobic molecule.
- The membrane according to claim 1, wherein the difunctional-18. (Currently amended) surface molecules are polymerized using a photoinitiator selected from the group consisting of 1hydroxy-cyclohexyl-phenyl-ketone; 2-benzyl-2-dimethylamino-1-(4-morpholinophenyl)butanone-1; 50% 1-hydroxy-cyclohexyl-phenyl-ketone and 50% benzophenone; 25% bis(2,6dimethoxybenzoyl)-2,4,4-trimethyl pentylphosphineoxide and 75% 2-hydroxy-2-methyl-1phenyl-propan-1-one; 2,2-dimethoxy-1,2-diphenylethan-1-one; bis(2,4,6-trimethylbenzoyl)phenylphosphineoxide; 80% 2-hydroxy-2-methyl-1-phenyl-propan-1-one and 20% 1-hydroxycyclohexyl-phenyl-ketone; 25% bis(2,6-dimethoxybenzoyl)-2,4,4-trimethylpentylphosphineoxide and 75% 1-hydroxy-cyclohexyl-phenyl-ketone; 2-hydroxy-2-methyl-1phenyl-propan-1-one; benzophenone; 50% 2,4,6-trimethylbenzoyl-diphenyl-phosphineoxide and 50% 2-hydroxy-2-methyl-1-phenyl-propan-1-one; bis(□5-2,4-cyclopentadien-1-yl)-bis(2,6dicluoro-3-(1H-pyrrol-1-yl)-phenyl)titanium; 2-methyl-1[4-(methylthio)phenyl]-2morpholinopropan-1-one; 30% 2-benxyl-2-dimethylamino-1-(4-morpholinophenyl)-butanone-1 and 70% 2,2-dimethoxy-1,2-diphenylethan-1-one-IRGACURE 651; and 1-[4-(2hydroxyethoxy)-phenyl]-2-hydroxy-2-methyl-1-propane-1-one.
- 19. (Original) The membran e according to claim 1, wherein the membrane has an average pore size of from about greater than 0 μ m to about 10 μ m.
- 20. (Original) The membran e according to claim 1, wherein the hydrophobic substrate comprises polyvinylidene fluoride.
- 21. (Original) The membran e according to claim 1, wherein the membrane is wettable within less than about 30 seconds after drying upon contacting with an aqueous solution.
- 22. (Original) The membran e according to claim 1, wherein the membrane is autoclavable.

O. Penezina, et al. U.S.S.N.: 10/646,292

Page 5 of 12

23-47 (Canceled).

48. (New) The membrane according to claim 1, wherein the hydrophobic portion is capable of

significant association with the substrate.

49. (New) The membrane according to claim 1, wherein the composite porous membrane has a

pore size prior to coating with difunctional surface-modifying molecules that is substantially the

same as the pore size of the composite porous membrane after coating with difunctional surface-

modifying molecules.